D-Link EAGLE PRO AI Routeur AX1500 4G G415

Marque : D-Link

Code produit: G415/E

Nom du produit : EAGLE PRO AI Routeur AX1500 4G G415

D-Link EAGLE PRO Al Routeur AX1500 4G G415. Type de connexion WAN: RJ-45. Bande Wi-Fi: Bi-bande (2,4 GHz / 5 GHz), Norme Wi-Fi: Wi-Fi 6 (802.11ax), Débit de transfert des données WLAN (max): 1201 Mbit/s. Type d'interface LAN Ethernet: Gigabit Ethernet, LAN Ethernet : taux de transfert des données: 10,100,1000 Mbit/s, Technologie de cablâge: 10/100/1000Base-T(X). Génération de réseau mobile: 4G, Normes 2G: Edge, GPRS, GSM, Normes 3G: DC-HSPA+, HSDPA+, HSUPA, UMTS. Assistant virtuel: Amazon Alexa & Google Assistant





WAN connection		Security	
Ethernet WAN * DSL WAN * SIM card slot * WAN connection type Wireless LAN features	✓ ✓ Rj-45	Stateful Packet Inspection (SPI) Filtering MAC address filtering IP address filtering DMZ support	5 5 5 5
Wi-Fi band * Top Wi-Fi standard * WLAN data transfer rate (max) * Wi-Fi standards WLAN data transfer rate (first band) WLAN data transfer rate (second band)	Dual-band (2.4 GHz / 5 GHz) Wi-Fi 6 (802.11ax) 1201 Mbit/s Wi-Fi 6 (802.11ax) 300 Mbit/s 1201 Mbit/s	Design Product colour Indication light LED indicators On/off switch Product type *	Blue, White ✓ LAN, LTE, Power, WLAN ✓ Tabletop router
Network		Certificates	
Ethernet LAN * Ethernet LAN interface type * Ethernet LAN data rates Cabling technology	Gigabit Ethernet 10,100,1000 Mbit/s 10/100/1000Base-T(X)	Compliance certificates Packaging content AC adapter included Sustainability	CE ✓
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11g, IEEE 802.11n, IEEE 802.3ab, IEEE 802.3au	Sustainability compliance Antenna	1
Mobile network Mobile network generation	4G	Antenna design * Antennas quantity	External 2

		-	
Mobile network		Features	
3G		Number of concurrent sessions (max)	128
4G	 K Edge, GPRS, GSM Edge USDA + USDDA + USDDA + UNTER 	Works with Amazon Alexa	1
5G		Works with the Google Assistant	1
2G standards 3G standards		Power	
4G standard	DC-HSPA+, HSDPA+, HSUPA, UMTS LTE		DC
GSM bands supported	900,1800 MHz	Power source type * Output voltage	12 V
UMTS bands supported	900,2100 MHz	Output current	1.5 A
SIM card type	MicroSIM	External power adapter	✓ ·
Ports & interfaces		Operational conditions	
Ethernet LAN (RJ-45) ports *	3	Operating temperature (T-T)	0 - 40 °C
USB port *	×	Storage temperature (T-T)	-10 - 70 °C
DC-in jack	1	Operating relative humidity (H-H)	10 - 90%
Management features		Storage relative humidity (H-H)	0 - 95%
Web-based management	1	System requirements	
Quality of Service (QoS) support	1	Mac operating systems supported	v
Virtual assistant	Amazon Alexa & Google Assistant	Mobile operating systems supported	Android, iOS
Reset button	1	Weight & dimensions	
WPS push button	1	Width	198 mm
MU-MIMO technology	1	Depth	170.1 mm
Security		Height	66.2 mm
Security algorithms	WPA, WPA2, WPA3, WPS	Weight 400 g	400 g
Firewall	 I = 1 I = 1 		
Firewall security	Stateful Packet Inspection, Anti- spoofing Checking, IP/MAC Address Filtering, 1 x DMZ		

Guest access

1





790069465994

0790069465994

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.