



Canon EOS 2000D BK 18-55 IS II EU26 Kit d'appareil-photo SLR 24,1 MP CMOS 6000 x 4000 pixels Noir

Marque : Canon

Famille de produit: EOS

Code produit: 2728C003

Nom du produit : 2000D BK
18-55 IS II EU26

Canon EOS 2000D BK 18-55 IS II EU26. Type d'appareil photo: Kit d'appareil-photo SLR, Mégapixel: 24,1 MP, Type de capteur: CMOS, Résolution d'image maximale: 6000 x 4000 pixels. La sensibilité ISO (max): 6400. Longueur focale: 18 - 55 mm. Vitesse maximale d'obturation de la caméra: 1/4000 s. Wifi. Type HD: Full HD, Résolution vidéo maximale: 1920 x 1080 pixels. Taille de l'écran: 7,62 cm (3"). Viseur d'appareil photo: Optique. PictBridge. Couleur du produit: Noir

Picture quality		Memory	
Camera type *	SLR Camera Kit	Memory slots	1
Megapixel (approx.) *	24.1 MP	Display	
Sensor type *	CMOS	Display *	TFT
Maximum image resolution *	6000 x 4000 pixels	Display diagonal *	7.62 cm (3")
	JPEG 3:2: (L) 6000 x 4000, (M) 3984 x 2656, (S1) 2976 x 1984, (S2) 1920 x 1280, (S3) 720 x 480 JPEG 4:3: (L) 5328 x 4000, (M) 3552 x 2664, (S1) 2656 x 1992, (S2) 1696 x 1280, (S3) 640 x 480 JPEG 16:9: (L) 6000 x 3368, (M) 3984 x 2240, (S1) 2976 x 1680 (S2) 1920 x 1080, (S3) 720 x 408 JPEG 1:1: (L) 4000 x 4000, (M) 2656 x 2656, (S1) 1984 x 1984, (S2) 1280 x 1280, (S3) 480 x 480 RAW: (RAW) 6000 x 4000	Display diagonal (metric)	7.5 cm
		Display resolution (numeric)	920000 pixels
		Viewfinder	
		Viewfinder type	Optical
Still image resolution(s) *		Magnification	0.8x
		Ports & interfaces	
		PictBridge *	✓
		USB version *	2.0
		HDMI *	✓
Image stabilizer *	✓	HDMI connector type	Mini
Image stabilizer location	Lens	Microphone in	✓
Supported aspect ratios	1:1, 3:2, 4:3	USB port	✓
Total megapixels	24.7 MP	Network	
Image sensor size (W x H)	22.3 x 14.9 mm	Bluetooth *	✗
Sensor format	Advanced Photo System type-C (APS-C)	Wi-Fi *	✓
Image formats supported *	JPEG	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Lens system		Near Field Communication (NFC) *	✓
Focal length range	18 - 55 mm	Camera	
Lens mount interface	Canon EF, Canon EF-S	White balance *	Auto, Cloudy, Custom modes, Daylight, Flash, Fluorescent, Shade, Tungsten
Focusing		Scene modes *	Close-up (macro), Food, Night portrait, Portrait, Sports, Landscape
Focus adjustment *	Auto/Manual	Shooting modes *	Aperture priority, Auto, Manual, Shutter priority
Auto focusing (AF) modes *	AI Focus, One Shot Focus, Servo Auto Focus	Photo effects *	Black&White
Auto Focus (AF) points	9	Self-timer delay *	2,10 s
Auto Focus (AF) points selection	Auto, Manual	Brightness adjustment	✓
Auto Focus (AF) lock	✓	Camera playback	Movie, Slide show
Auto Focus (AF) assist beam	✓	Dioptré correction	✓
Exposure		Playback zoom (max)	10x
ISO sensitivity (min) *	100	Histogram	✓
ISO sensitivity (max) *	6400	Live view	✓
ISO sensitivity	100, 6400, Auto	Orientation sensor	✓
Light exposure modes *	Auto, Manual	Camera file system	DPOF 1.1, RAW
Light exposure control	Program AE	Anti-dust function	✓
Light exposure correction *	± 5EV (1/2EV; 1/3EV step)		
Auto Exposure (AE) lock	✓		

Shutter		Camera	
Fastest camera shutter speed *	1/4000 s	Eye relief	2.1 cm
Slowest camera shutter speed *	30 s	Playback modes	Slideshow
Camera shutter type	Electronic	Slideshow	✓
Flash		Built-in processor	✓
Flash modes *	Auto, Flash off, Flash on, Manual, Red-eye reduction, Second curtain synchro	Image processor	DIGIC 4+
		Design	
Flash exposure lock	✓	Product colour *	Black
		Battery	
Flash guide number	9.2 m	Battery technology *	Lithium-Ion (Li-Ion)
Flash recharging time	2 s	Battery type	LP-E10
Flash sync-speed	1/200 s	Number of batteries supported	1
Flash exposure compensation	✓	Battery level indicator	✓
Flash exposure correction	±2EV (1/2, 1/3 EV step)	Operational conditions	
Shoe mounting point	✓	Operating temperature (T-T)	0 - 40 °C
Shoe mounting point type	Hot shoe	Weight & dimensions	
Video		Width	129 mm
Video recording *	✓	Depth	77.6 mm
Maximum video resolution *	1920 x 1080 pixels	Height	101.3 mm
HD type *	Full HD	Weight (including battery)	475 g
Video resolutions	640 x 480, 1280 x 720, 1920 x 1080 640x480@25fps, 640x480@30fps, 1280x720@50fps, 1280x720@60fps, 1920x1080@24fps, 1920x1080@25fps, 1920x1080@30fps	Logistics data	
Resolution at capture speed		Harmonized System (HS) code	85258900
Video formats supported	H.264, MOV	Other features	
Audio		Power source type	Battery
Built-in microphone *	✓	Technical details	
Audio formats supported	PCM	Self-timer	✓
Memory			
Compatible memory cards *	SD, SDHC, SDXC		



4549292111859

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-MAR-2025. Prints or copies of Information are only valid on the printed Publication date