

Epson WorkForce Pro WF-C8690DWF Power PDF

Marque : Epson

Famille de produit: WorkForce **Code produit:** C11CG68401PB Pro

Nom du produit : WorkForce Pro WF-C8690DWF Power PDF

- Tirez parti de l'impression A3: Imprimez en interne des plaquettes, des épreuves de brochure, des feuilles de calcul et plus encore

- Écologique: Réduisez vos factures d'électricité et votre impact environnemental

- Faites des économies: Réduisez encore plus les coûts en remplaçant moins de consommables

- Gain de temps: Recto Verso automatique en impression, numérisation, copie et fax

- Conçu pour l'entreprise: Encres pigmentaires DURABrite Pro

WorkForce Pro WF-C8690DWF Power PDF

Epson WorkForce Pro WF-C8690DWF Power PDF. Technologie d'impression: Jet d'encre, Impression: Impression couleur, Résolution maximale: 4800 x 1200 DPI. Copier: Copie couleur, Résolution max. des copies: 600 x 1200 DPI. Numérisation: Numérisation couleur, Résolution de numérisation optique: 1200 x 2400 DPI. Taille de papier de série A ISO maximum: A3+. Wifi. Impression directe. Couleur du produit: Noir, Gris



Printing		Paper handling	
Duplex printing mode	Auto	Envelopes sizes	10, C4, C5, C6, DL
Print technology *	Inkjet	Photo paper sizes	10x15,13x18,20x25
Printing *	Colour printing	Ports & interfaces	
Duplex printing *	✓	Direct printing *	✓
Maximum resolution *	4800 x 1200 DPI	USB port	✓
Print speed (black, normal quality, A4/US Letter) *	35 ppm	Network	
Time to first page (black, normal)	5.5 s	Wi-Fi *	✓
Time to first page (colour, normal)	5.5 s	Ethernet LAN *	✓
Copying		Cabling technology	10/100/1000Base-T(X)
Duplex copying *	✓	Ethernet LAN data rates	10,100,1000 Mbit/s
Copying *	Colour copying	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Maximum copy resolution *	600 x 1200 DPI	Near Field Communication (NFC)	✓
Maximum number of copies	999 copies	Mobile printing technologies	Apple AirPrint, Epson Connect, Epson Email Print, Epson Remote Print, Epson iPrint, Google Cloud Print
Copier resize	25 - 400%	Performance	
Scanning		Card reader integrated	✗
Duplex scanning *	✓	Design	
Scanning *	Colour scanning	Product colour *	Black, Grey
Optical scanning resolution *	1200 x 2400 DPI	Market positioning *	Business
Scanner type *	Flatbed & ADF scanner	Built-in display *	✓
Scan technology	CIS	Display	LCD
Scan to	E-mail, FTP, PC, USB	Display diagonal	12.7 cm (5")
Image formats supported	JPEG, TIFF	Touchscreen	✓
Document formats supported	PDF	Control type	Touch
Fax		Colour display	✓
Fax transmission speed	3 sec/page		
Modem speed	33.6 Kbit/s		
Fax memory	550 pages		

Features		System requirements	
Recommended duty cycle	500 - 5000 pages per month	Windows operating systems supported	✓
Maximum duty cycle *	75000 pages per month	Mac operating systems supported	✓
Number of print cartridges *	4	Linux operating systems supported	✓
Printing colours *	Black, Cyan, Magenta, Yellow		
Page description languages	ESC/P-R, PCL 5c, PCL 6, PDF 1.7, PostScript 3		
Country of origin	Indonesia		
Input & output capacity		Sustainability	
Total input capacity *	335 sheets	Sustainability certificates	ENERGY STAR
Total output capacity *	250 sheets		
Paper input type	Paper tray		
Maximum input capacity	1835 sheets		
Paper handling		Weight & dimensions	
Maximum ISO A-series paper size *	A3+	Width	613 mm
Paper tray media types *	Envelopes, Letterhead, Plain paper, Recycled paper	Depth	755 mm
Multi-purpose tray media types	Envelopes, Plain paper	Height	493 mm
ISO A-series sizes (A0...A9) *	A3, A3+, A4, A5, A6	Weight	45.8 kg
ISO B-series sizes (B0...B9)	B4, B5, B6		
Non-ISO print media sizes	Legal, Letter		
		Packaging data	
		Package width	864 mm
		Package depth	776 mm
		Package height	689 mm
		Package weight	63.5 kg
		Quantity per pack	1 pc(s)
		Packaging content	
		Power cord included	✓
		Warranty card	✓
		Logistics data	
		Harmonized System (HS) code	84433100
		Products per pallet	2 pc(s)
		Products per pallet (UK)	2 pc(s)



8715946673134

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 30-APR-2025. Prints or copies of Information are only valid on the printed Publication date