## Brother DCP-1610WVB imprimante multifonction Laser A4 2400 x 600 DPI 20 ppm Wifi

Marque : Brother

Code produit: DCP-1610WVB

Nom du produit : DCP-1610WVB

Brother DCP-1610WVB. Technologie d'impression: Laser, Impression: Impression mono, Résolution maximale: 2400 x 600 DPI. Copier: Copie simple, Résolution max. des copies: 600 x 600 DPI. Numérisation: Numérisation couleur, Résolution de numérisation optique: 600 x 1200 DPI. Taille de papier de série A ISO maximum: A4. Wifi. Impression directe. Couleur du produit: Noir, Blanc






Printing		Ports & interfaces	
Print technology *	Laser	USB 2.0 ports quantity	1
Printing *	Mono printing	Network	
Duplex printing *	×	Wi-Fi *	1
Maximum resolution * 2400 x 600 DPI	2400 x 600 DPI	Ethernet LAN *	×
Print speed (black, normal quality, A4/US Letter) *	20 ppm	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Warm-up time	18 s	Security algorithms	SMTP-AUTH, WEP, WPA-PSK, WPA2-
Time to first page (black, normal)	10 s		PSK
N-up printing	2, 4, 9, 16, 25		ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS resolver, mDNS,
Watermark printing	1		
Poster printing function	✓	Supported network protocols (IPv4)	LLMNR responder, LPR/LPD, Custom Raw Port/ Port 9100, IPP, FTP
Copying			Server, SNMPv1/ v2c, HTTP Server, TFTP Client and Server, SMTP Client
Duplex copying *	×		ICMP, Web Services (Print)
Copying *	Mono copying		NDP, RA, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port 9100, IPP, FTP Server, SNMPv1/ v2c, HTTP Server, TFTP Client and Server, SMTP Client, ICMPv6, Web Services (Print)
Maximum copy resolution *	600 x 600 DPI		
Copy speed (black, normal quality, A4)	20 cpm	Supported network protocols (IPv6)	
Time to first copy (black, normal)	16 s		
Maximum number of copies	99 copies	Mobile printing technologies	Brother iPrint & Scan
Copier resize	25 - 400%	Performance	
N-in-1 copy function	1	Card reader integrated	×
N-in-1 copy function (N=)	2, 4	Internal memory *	32 MB
ID-card copy function	1	Built-in processor	•
Scanning		Processor family	ARM9
Duplex scanning *	×	Processor frequency	200 MHz
Scanning *	Colour scanning	Design	
Optical scanning resolution * Maximum scan resolution	600 x 1200 DPI 19200 x 19200 DPI	Product colour *	Black, White

Scanning		Design	
Scan technology Scan to Input colour depth Output colour depth	CIS E-mail, File, Image 48 bit 24 bit	Market positioning * Built-in display * Display Display number of lines	Home & office ✓ LCD 2 lines
Input greyscale depth	16 bit	Power	
Output greyscale depth Scan drivers	8 bit ICA, SANE, TWAIN, WIA	Energy Star Typical Electricity Consumption (TEC)	0.7 kWh/week
Fax		System requirements	
Duplex faxing Faxing *	× ×	Windows operating systems supported	Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP Home, Windows XP Professional
Features Recommended duty cycle Maximum duty cycle *	250 - 1800 pages per month 10000 pages per month	Mac operating systems supported	Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Digital sender	×	Linux operating systems supported	✓
Number of print cartridges * Printing colours * Page description languages Country of origin	1 Black GDl Vietnam	Server operating systems supported	Windows Server 2003, Windows Server 2003 x64, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2
Input & output capacity		Sustainability	
Total input capacity *	150 sheets	Sustainability certificates	ENERGY STAR
Total output capacity *	50 sheets	Weight & dimensions	
Paper input type	Paper tray	Width	435 mm
Paper handling		Depth	555 mm
Maximum ISO A-series paper size *	A4	Height Weight	475 mm 8.31 kg
Paper tray media types *	Plain paper		0.51 kg
Multi-purpose tray media types ISO A-series sizes (A0A9) *	Legal, Letter A4, A5	Packaging data	476
Envelopes sizes	B5	Package width Package depth	476 mm 434 mm
Paper tray media weight	65 - 105 g/m²	Package height	556 mm
Ports & interfaces		Package weight	11.7 kg
Direct printing *	1	Packaging content	
USB port	•	Cartridge(s) included	1
		Drivers included	1
		Manual	1
		Power cord included	✓
		Warranty card	✓
		Quick installation guide	1

## Other features

Acoustic power emissions (active, print, copy or scan)	66 dB
Acoustic power emissions (ready)	47 dB
Acoustic pressure emissions bystander (active, print, copy or scan)	52
Acoustic pressure emissions bystander (ready)	32 dB
Software CD	1



4977766795418



4977766795432

4977766793032

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.